




FPi 1000


Powerful, accurate, versatile.



FOLDING AND INSERTING

Increase your productivity with the FPI 1000

The tabletop inserting system **FPI 1000** accurately folds, inserts and seals up to 900 mail pieces per hour. The mailing of invoices, statements, letters and advertising is crucial for your company's success. Manual folding and inserting, however, is an unnecessary waste of time and resources. With the **FPI 1000**, you achieve perfect, accurate and reliable results. The **FPI 1000** is a compact system that is designed to reduce your workload so that you can make use of your time more efficiently. This allows you to focus on your important work. Thanks to the automation of your mailing processes, you can fully concentrate on your business and thus create added value for your customers.



► Productivity

Automated folding and inserting saves time.

► Accuracy

Avoid expensive delays in the mailing process caused by manual errors.

► Immediate operation

Plug it in, insert the materials, and the system is ready for operation.

► Flexible processing

Invoices, statements, letters, advertising and other mailings are folded, inserted, reliably sealed in envelopes and then made ready for dispatch.

► Versatility

Automatically fold up to two DIN A4 sheets and insert them in a C6/5 envelope.

► Increase your sales figures

Add advertising inserts or reply envelopes to your mailing to promote the growth of your company.

► Save time and reduce manual labour

Our system processes 15 mail pieces per minute and is therefore six times faster than the manual process.

► Accelerate your cash flow


Invoices are sent more rapidly and are therefore paid more rapidly.

► User friendliness


All of the controls are directly available with clearly visible commands on the control panel.

Process six mail pieces in the same time that you would need to finish only one manually

Traditional manual mailing



Mailing with FPI 1000



User friendliness

Reduced complexity for users of all experience levels.



Accuracy

Avoid expensive delays caused by manual errors.



Productivity

Reliable speed and performance without down-times ensure smooth mailing processes.

The mailing of invoices, statements and communications to your customers is important for your company.

However, complicated preparation of mailings costs time and can lead to errors that result in delays and dissatisfied customers. Thanks to the **FPI 1000**, it is very simple to produce mail pieces, so that the right documents always reach the right customer straight away.

Simple, trusted methods.

The **FPI 1000** was developed to meet the requirements of your whole team, regardless of their individual levels of experience. It can be used with minimal effort even by users without previous technical knowledge. The intuitive control panel makes it easy to set up and select job settings. The convincing user experience is based on a trusted platform and gives you the certainty that your mailings are produced rapidly and without interruptions.

One system – many possibilities

- Regular correspondence with customers
- Addition of sales-boosting inserts
- Increased safety for your mailings with envelopes that stay sealed
- Align mailing addresses for precise positioning in the envelope window, to ensure that your mail reaches its destination
- Send promotional materials on a regular basis

Inserting system

FPi 1000



Technical data*

Throughput	900 per hour, up to 15 mail pieces per minute
Monthly capacity	4,000 envelopes
Max. number of feeders	4 (2 x sheet, 1 x insert and 1 manual feeder)
Fold options	C-fold (letter fold)
Sheet feeder	
Capacity	80 sheets
Paper formats	A4: 210 x 297 mm
Paper weights	75 to 90 g/m²
Insert feeder	
Capacity	60
Sizes	
- Length	min. 127 mm, max. 225 mm
- Width	min. 86 mm, max. 114 mm
Material weight	
- Folded	70 to 90 g/m²
- Not folded	70 to 200 g/m²
Convenience feeder for special mailings	
Convenience feeder for manual processing, always active	up to 3 sheets (stapled and unstapled)
Envelope feeder	
Capacity	60 envelopes
Sizes	
- C6/5	225 to 235 mm
- Width	110 to 121 mm
Envelope weights	70 to 100 g/m²
Dimensions	
Length	440 mm
Width	530 mm
Height	365 mm
Height with optional second sheet feeder	440 mm
Weight	
- Without optional sheet feeder	17 kg
- With optional sheet feeder	27 kg
Electrical data	230 V, 50 Hz, 1 A

* The FPi 1000 can fold or collate or collate and fold. The machine can feed 2 sheets consecutively. The machine does not need a table edge.

Model versions

FPi 1010

- 1 collection station
- 1 letter feeder

FPi 1015

- 1 collection station
- 1 letter feeder
- 1 insert feeder

FPi 1020

- 1 collection station
- 2 letter feeders


FPi 1025

- 1 collection station
- 2 letter feeders
- 1 insert feeder

Fold types:



C-fold (letter fold)



Subject to technical changes.

© 2023 Francotyp-Postalia. All rights reserved. The FP logo and Francotyp-Postalia product logos are brands or registered trademarks of Francotyp-Postalia GmbH.



Francotyp-Postalia
Vertrieb und Service GmbH
Prenzlauer Promenade 28
D-13089 Berlin
info@francotyp.com
francotyp.de

